

TEST REPORT

TO : ASAP INTERNATIONAL SDN. BHD.
1, Jalan Sitar 33/6,
Seksyen 33,
40400 Shah Alam, Selangor,
Malaysia.

Attn: Mr. Chin Tze Weng

Report No. : IP1706-0111-2

Page No : 1 of 2

Date of Issue : 15/06/2017

The following sample(s) was(were) identified by the customer as :

POWDER FREE NITRILE EXAMINATION GLOVES
SIZE: M

Date of Sample Received : 08/06/2017

Date of Testing : 08/06/2017 to 15/06/2017

Objective :

Determination of the Overall Migration for Material and articles in contact with foodstuff under requirement of Food Commission Regulation (EU) No.10/2011 following method EN 1186 at condition of :

- (i) 3% (w/v) acetic acid aqueous solution

Conclusion :

Test Required	Compliance
Food Commission Regulation (EU) No.10/2011 (Overall Migration) [3% (w/v) acetic acid aqueous solution]	Comply

Remark : Sampled and submitted by ASAP INTERNATIONAL SDN. BHD.

Test Performed by : Nuraini Afifah

Signed for and on behalf of
EUROFINS NM LABORATORY SDN. BHD.



Nurul Fitriyah Abdullah, M.Sc., MMIC
Section Head (Chemistry)
IKM No. M/3945/6698/13

NOTE : ND(<MDL) denotes not detected for value obtained is less than the Method Detection Limit (MDL) stated; *** denotes non SAMM accredited test.

Eurofins NM Laboratory Sdn Bhd 563645-P
(Formerly known as NM Laboratory Sdn Bhd)
Branch : Johor Bahru, JOHOR

Main office :
78 & 80, Lorong Perda Selatan 1
Bandar Perda
14000 Bukit Mertajam
PENANG, MALAYSIA

t | 604-538 8081
f | 604-537 8084
e | enquiry-enml.bm@eurofins.com
www.eurofins.my

Customer : ASAP INTERNATIONAL SDN. BHD.
Date of Issue : 15/06/2017

Report No. : IP1706-0111-2
Page No. : 2 of 2

Sample Photograph(s):



Test Procedure :

With reference to Commission Regulation (EU) No 10/2011 of 14 January 2011 Annex III and Annex V for selection of condition and EN1186:2002 for selection of Test method.

Test Results(s) :

Extraction Conditions	Analysis Result ; mg/dm ²	Permissible Limit ; mg/dm ²
3% (w/v) acetic acid aqueous solution @ 40°C for 1 hour	6.18	10

Signed for and on behalf of
EUROFINS NM LABORATORY SDN. BHD.

Nurul Fitriyah Abdullah, M.Sc., MMIC
Section Head (Chemistry)
IKM No. M/3945/6698/13

- End of Report -

NOTE : ND(<MDL) denotes not detected for value obtained is less than the Method Detection Limit (MDL) stated; *** denotes non SAMM accredited test.

GENERAL TERMS AND CONDITIONS

This test report / certificate issued by Eurofins NM Laboratory Sdn. Bhd., herein referred to as Eurofins NML, is in accordance with and subject to the terms and conditions herein contained:

1. The sample(s) submitted by the customer shall be tested / analysed according to any published standard method or non-published method as discussed and agreed upon by the customer and Eurofins NML. In the absence of any written instruction, the customer is deemed to have agreed and accepted the standard method or technique used by Eurofins NML in the testing / analysis of sample(s). However, Eurofins NML shall state in the report / certificate the standard method or technique used, where appropriate.
2. The integrity of the sample(s) and result(s) are dependent on the quality of sampling. The result(s) of testing / analysis performed by Eurofins NML is / are only applicable to the particular sample(s) received at the time of testing / analysis.
3. This report / certificate is not a certificate of quality. The results do not indicate or imply that Eurofins NML approves, recommends or endorses the manufacturers or suppliers or users of products and it shall not be used to imply product certification.
4. The overleaf test / analysis result(s) is / are based solely on the sample(s) submitted by the customers. Eurofins NML assumes no responsibility for the accuracy of information on the name, type, class, brand or model number of products or any information supplied by the customers.
5. This report / certificate is only valid when signed by an approved signatory or an authorized personnel of Eurofins NML. This report / certificate shall not be reproduced except in full.
6. Sample(s) and any remnant sample(s) will not be retained by Eurofins NML for more than one (1) month, except with special instruction from customer.
7. Eurofins NML shall be held harmless from any liability arising out of the use of such test / analysis result(s).
8. Presentation of test / analysis result(s) for method detection limit and unit of measurement shall be agreed by Eurofins NML and customers, normally decided by Eurofins NML for technical reasons and good practice in analytical measurement.
9. Where relevant, a statement of compliance / non-compliance with requirement and / or specifications shall be presented only when requested by customers. The statement shall be appropriate and needed for interpretation and guidance only.
10. This report / certificate shall not be used for advertising and legal proceeding purpose without prior written approval from Eurofins NML.

NOTE : ND(<MDL) denotes not detected for value obtained is less than the Method Detection Limit (MDL) stated; *** denotes non SAMM accredited test.

Eurofins NM Laboratory Sdn Bhd 563645-P
(Formerly known as NM Laboratory Sdn Bhd)
Branch : Johor Bahru, JOHOR

Main office :
78 & 80, Lorong Perda Selatan 1
Bandar Perda
14000 Bukit Mertajam
PENANG, MALAYSIA

t | 604-538 8081
f | 604-537 8084
e | enquiry-enml.bm@eurofins.com
www.eurofins.my