



art & science of
amazing protection



Data Sheet

NITRILE



POWDER FREE EXAMINATION GLOVES

Features

Trusted by Healthcare

The perfect formulation for healthcare that strikes the correct balance between comfort and protection. Used by millions of healthcare workers around the world. You know you can trust ASAP with your protection.

Finger textured

Strategically placed finger textured surfaces increase grip to reduce gripping effort needed, ultimately reducing hand strain.

Superior comfort and natural fit

Soft yet three times the puncture resistance of latex with high resistance to chemicals with increased safety in various jobs scopes.

Ambidextrous

Fits either hand conveniently without needing to determine left or right for simpler donning.

100% Nitrile

Nitrile powder-free with no plasticizers, ideal solution when latex allergies are concerned.

Colourful options

Blue coloured glove for easy identification as a synthetic glove. Perfect for Food processing.

Application

ASAP Nitrile gloves are recommended to be used in industries for:

- Barrier protection against harmful chemicals and infectious fluids
- Protection from bodily fluids such as blood or mucus.
- Increased protection with overall great comfort for industries such as Healthcare, Dental, Pharmaceutical, Food processing etc.

Industry icons:



Examination & Surgery (E&S)



Research & Development (R&D)



Building & Construction (B&C)

Regulations

- Medical Device Regulation (EU) 2017/745
- PPE Regulation (EU) 2016/425
- Food contact Regulation (EU) 1935/2004

Harmonised Standards

- | | |
|-----------------|-------------------------|
| • EN 455-1:2020 | • EN ISO 21420:2020 |
| • EN 455-2:2015 | • EN 374-1:2016+A1:2018 |
| • EN 455-3:2015 | • EN 374-4:2019 |
| • EN 455-4:2009 | • EN 374-5:2016 |

Quality Assurance

- ISO 9001:2015
- ISO 13485:2016
- ISO 14001:2015



Physical Properties Sheet: Product Information

Series Number	20570
Acceptable Quality Level (AQL)	1.5
Packaging	100 pcs per box, 10 boxes per carton

Packaging Dimensions

Inner	220 x 110 x 65mm
Carton	340 x 230 x 230mm



Product Size Codes

Extra Small	Small	Medium	Large	Extra Large
XS 6	S 7	M 8	L 9	XL 10
20571	20572	20573	20574	20575

Physical Properties Specification: Dimension Specification

	Specification Type		Specification	Test Method
Dimensions	Palm Width	Extra Small	75 ± 5mm	EN 455-2
		Small	85 ± 5mm	
		Medium	95 ± 5mm	
		Large	105 ± 5mm	
		Extra Large	115 ± 5mm	
	Length		Min 240mm	
	Thickness (Single Wall)	Cuff (25mm from bead)	0.06 ± 0.01mm	
		Palm (centre of palm)	0.07 ± 0.02mm	
		Finger (13mm from tip)	0.10 ± 0.02mm	
Physical Properties	Force at break (N)	Before Aging	Min. 6.0N	EN 455-2
		After Aging	Min. 6.0N	
Physical Appearance	Rolled beaded cuff			
	Blue Colour			
	Finger Textured Surface			
	Ambidextrous			

ASAP INTERNATIONAL SDN BHD

No. 1, Jalan Sitar 33/6, Seksyen 33,
40400 Shah Alam, Selangor,
Malaysia.

T : +603 5191 0166

E : info@whyasap.com

W : www.whyasap.com

ASAP INNOVATIONS LTD

Unit 7, Fonthill Business Park, The
Courtyard, Fonthill Rd, Ballyowen,
Dublin, D22 XA07, Ireland

T : +353 1 4661660

E : info@whyasap.ie

W : www.whyasap.ie

ASAP INNOVATIONS UK LTD

13, Diamond Court, Opal Drive,
Fox Milne, Milton Keynes,
MK15 0DU, United Kingdom

T : +44 (0)1908 909146

E : info@whyasap.co.uk

W : www.whyasap.co.uk