



**Data Sheet** 

LITE NITRILE **POWDER FREE EXAMINATION GLOVES** 









### Superior comfort and natural fit

Soft yet three times the puncture resistance of latex. The unique nitrile formulation provides an incredible level of tactile sensitivity.

#### **Economical**

These economical, yet deceptively strong gloves, are perfect for use in workplaces that require frequent glove changes.

#### **Finger textured**

Strategically placed finger textured surfaces increase grip to reduce gripping effort needed, ultimately reducing hand strain.

#### **Ambidextrous**

Fits either hand conveniently without needing to determine left or right for simpler donning.

#### 100% Nitrile

Nitrile powder-free with no plasticizers, ideal solution when latex allergies are concerned.

#### **Colourful options**

Blue coloured glove for easy identification as a synthetic glove. Perfect for Food processing.

#### **Application**

ASAP Lite Nitrile gloves are recommended to be used in industries for:

- Food processing and preparation
- Protection from bodily fluids such as blood or mucus.
- Procedures that require tactile sensitivity
- Increased protection with overall great comfort for industries such as Healthcare, Dental, Cleaning, Beauty etc.

## **Industry icons:**







Examination & Surgery (E&S)

Research & Development (R&D)

Building & Construction (B&C)

#### Regulations

- Medical Device Regulation (EU) 2017/745
- PPE Regulation (EU) 2016/425
- Food contact Regulation (EU) 1935/2004

## **Harmonised Standards**

- EN 455-1:2020
- EN ISO 21420:2020
- EN 455-2:2015
- EN 374-1:2016+A1:2018
- EN 455-3:2015
- EN 374-4:2019
- EN 455-4:2009
- EN 374-5:2016

#### **Quality Assurance**

- ISO 9001:2015
- ISO 13485:2016











EN ISO 374-5:2016

EN 455





















POWDER FREE EXAMINATION GLOVES

# **Physical Properties Sheet: Product Information**

| Series Number                  | 20540                                |
|--------------------------------|--------------------------------------|
| Acceptable Quality Level (AQL) | 1.5                                  |
| Packaging                      | 100 pcs per box, 10 boxes per carton |

# Packaging Dimensions

| Inner  | 220 x 110 x 65mm  |
|--------|-------------------|
| Carton | 340 x 230 x 230mm |



## **Product Size Codes**

| Small | Medium | Large | Extra Large |
|-------|--------|-------|-------------|
| S 7   | M 8    | L 9   | XL 10       |
| 20542 | 20543  | 20544 | 20545       |

# **Physical Properties Specification: Dimension Specification**

|   | Specification Type                   |                        | Specification | Test Method |  |
|---|--------------------------------------|------------------------|---------------|-------------|--|
| P   | Dalas Walde                          | Small                  | 85 ± 5mm      | EN 455 0    |  |
|   |                                      | Medium                 | 95 ± 5mm      |             |  |
|   | Palm Width                           | Large                  | 105 ± 5mm     |             |  |
| Dimonoiono                                  |                                      | Extra Large            | 115 ± 5mm     |             |  |
| Dimensions  Length  Thickness (Single Wall) |                                      | Min 240mm              | EN 455-2      |             |  |
|   |                                      | Cuff (25mm from bead)  | Min. 0.04mm   |             |  |
|   |                                      | Palm (centre of palm)  | Min. 0.05mm   |             |  |
|   | wany                                 | Finger (13mm from tip) | Min. 0.06mm   |             |  |
| Physical                                    | Force at break                       | Before Aging           | Min. 6.0N     | EN 455 0    |  |
| Properties (N)                              | After Aging                          | Min. 6.0N              | EN 455-2      |             |  |
|   | Rolled beaded cuff                   |                        |               |             |  |
| Physical                                    | Blue Colour                          |                        |               |             |  |
| Appearance                                  | Finger Textured Surface Ambidextrous |                        |               |             |  |
|   |                                      |                        |               |             |  |

#### **ASAP INTERNATIONAL SDN BHD**

No. 1, Jalan Sitar 33/6, Seksyen 33, 40400 Shah Alam, Selangor, Malaysia.

T:+603 5191 0166

E: info@whyasap.com

W: www.whyasap.com

## **ASAP INNOVATIONS LTD**

Unit 7, Fonthill Business Park, The Courtyard, Fonthill Rd, Ballyowen, Dublin, D22 XA07, Ireland

T: +353 1 4661660

E: info@whyasap.ie

W: www.whyasap.ie

## **ASAP INNOVATIONS UK LTD**

13, Diamond Court, Opal Drive, Fox Milne, Milton Keynes, MK15 ODU, United Kingdom

T:+44(0)1908909146

E: info@whyasap.co.uk

W: www.whyasap.co.uk

